

## Certificate for Outfitting Equipment & Component

### Mooring rope

This is to certify that the undersigned Surveyor to LLOYD'S REGISTER did at the request of the below customer, attend the testing and examination of the product(s) described below in accordance with the relevant Rules and Regulations for the Classification of Ships and found it/them satisfactory.

### General information

Customer	CS Co.,Ltd
Purchase Order No	N/A
Manufacturer	CS Co.,Ltd
Intended for	STOCK
Customer Work Order No	N/A
Date of issue	26 April 2024
Quantity	1 out of 5 Batch

### Particulars


Product Name	Galvanized Steel Wire Rope (19X7 12.0MM : NON-ROTATING)
Material Type and Grade	EN12385-4 1,960N/mm <sup>2</sup>
Rope Construction (Strand)	19
Diameter	12 mm
Number of Coils	1
Length	1500 m
Net Weight per coil (kg)	866.16 kg
Minimum Breaking Load	9.44 (Min) / 12.03 (Actual) tonnes

### Identification marks

I.D number marked on item	Refer to the Remarks
Date of inspection	-
Surveyor's initials	-

### Remarks

Reel No: 3  
Buyer : KAPTAN CELIK HALAT SAN.VE TIC. A.S



SM Jeong  
Lloyd's Register Asia  
A subsidiary of Lloyd's Register Group Limited



Page 2 of 3  
Certificate No. BUS2404738/3  
First Date of Inspection 24 April 2024  
Final Date of Inspection 24 April 2024  
Office Busan

P.O No. : CSP24-0181


SURFACE : GALVANIZED

Core : IWRC

Lay : Right Hand Ordinary lay (RHOL)

Grease : A1

Minimum Breaking Load (kN) : 92.6 (Min) / 118.01 (Actual)



Description	Manufacturer Designation	Serial Number	IMO Number
G 19x7 12.0mm		F090-24001-01-03	0

ÖRNEKTİR

