

Certificate for Outfitting Equipment & Component

Mooring rope

This is to certify that the undersigned Surveyor to LLOYD'S REGISTER did at the request of the below customer, attend the testing and examination of the product(s) described below in accordance with the relevant Rules and Regulations for the Classification of Ships and found it/them satisfactory.

General information

Customer	CS Co.,Ltd
Purchase Order No	N/A
Manufacturer	CS Co.,Ltd
Intended for	STOCK
Customer Work Order No	N/A
Date of issue	26 April 2024
Quantity	1 out of 4 Batch

Particulars


Product Name	Galvanized Steel Wire Rope (19X7 16.0MM : NON-ROTATING)
Material Type and Grade	EN12385-4 1,960N/mm2
Rope Construction (Strand)	19
Diameter	16 mm
Number of Coils	1
Length	1500 m
Net Weight per coil (kg)	1,539.84 kg
Minimum Breaking Load	16.82 (Min) / 21.11 (Actual) tonnes

Identification marks

I.D number marked on item	Refer to the Remarks
Date of inspection	-
Surveyor's initials	-

Remarks

Reel No: 1
 Buyer : KAPTAN CELIK HALAT SAN.VE TIC. A.S



SM Jeong
 Lloyd's Register Asia
 A subsidiary of Lloyd's Register Group Limited



Page 2 of 3
Certificate No. BUS2404737/1
First Date of Inspection 24 April 2024
Final Date of Inspection 24 April 2024
Office Busan

P.O No. : CSP24-0181

SURFACE : GALVANIZED

Core : IWRC

Lay : Right Hand Ordinary lay (RHOL)

Grease : A1

Minimum Breaking Load (kN) : 165 (Min) / 207.04 (Actual)

ÖRNEK TİPİ



Page 3 of 3
Certificate No. BUS2404737/1
First Date of Inspection 24 April 2024
Final Date of Inspection 24 April 2024
Office Busan

Description	Manufacturer Designation	Serial Number	IMO Number
G 19x7 16.0mm		F090-24001-03-01	0

ÖRNEKTİR