



Teklif No: 202502-0271

Teklif Verilen

Şimşekler Genel Kumanyacılık ve Dış Tic. ve San. A.Ş.
Kultur Mahallesi 240 Sk. No:1 Kat:3 D:7
35800 Aliağa
İZMİR / TÜRKİYE

Talep Bilgileri

Talep Numarası: 202502-0271
Tarih: 18 02 2025 14:16

Sıra	Impa	Açıklama	Birim	Miktar	Birim Fiyatı	Para Birimi	Remarks	Teslimat Süresi	Toplam
1	-	STEEL WIRE ROPE FOR FFLB. 35X7 IWRC - NON ROTATING. DIAMETER:15MM. GALVANIZED. 1 COIL X 57.5 MTRS WITH PRESSED THIMBLE AT ONE END. TENSILE STRENGTH: 1960 N/MM2 200 KGF/M2. MINIMUM BREAKING LOAD: 158.8 KN_x000D_	NOS	1.00	180.00	EUR	15 mm 19x7 (18x7+iwrc) galv, rotation resistant, 57.5 m wire rope - 1 end mech spliced with thimble	1	6534.00 TRY
2	-	STEEL WIRE ROPE FOR E/R CRANE. 18X7 IWRC - NON ROTATING. DIAMETER:10MM. GALVANIZED. 1 COIL X 37 MTRS WITH PRESSED THIMBLE AT ONE END. TENSILE STRENGTH: 1960 N/MM2 200 KGF/M2. MINIMUM BREAKING LOAD: 75.6 KN_x000D_ RIGHT	NOS	1.00	65.00	EUR	10 mm 19x7 (18x7+iwrc) galv, rotation resistant, 37 m wire rope - 1 end mech spliced with thimble	1	2359.50 TRY
3	-	STEEL WIRE ROPE FOR FFLB. 19X7 + IWRC - NON ROTATING. DIAMETER: 20MM. GALVANIZED. 1 COIL X 100 MTRS WITH PRESSED THIMBLE AT ONE END. TENSILE STRENGTH: 1960 N/MM2 200 KGF/M2. MINIMUM BREAKING LOAD: 2	NOS	2.00	485.00	EUR	20 mm 19x7 (18x7+iwrc) galv, rotation resistant, 100 m wire rope - 1 end mech spliced with thimble	1	35211.00 TRY
4	-	STEEL WIRE ROPE FOR FFLB. 19X7 IWRC - NON ROTATING. DIAMETER:14MM. GALVANIZED. 1 COIL X 75 MTRS WITH PRESSED THIMBLE AT ONE END. TENSILE STRENGTH: 1960 N/MM2 200 KGF/M2. MINIMUM BREAKING LOAD: 126 KN_x000D_ _x000D_ STEEL WIRE ROPE FOR STB	NOS	1.00	190.00	EUR	14 mm 19x7 (18x7+iwrc) galv, rotation resistant, 75 m wire rope - 1 end mech spliced with thimble	1	6897.00 TRY

5	-	STEEL WIRE ROPE FOR FFLB. 19X7 + IWRC - NON ROTATING. DIAMETER:14MM. GALVANIZED. 1 COIL X 75 MTRS WITH PRESSED THIMBLE AT ONE END. TENSILE STRENGTH: 1960 N/MM2 200 KGF/M2. MINIMUM BREAKING LOAD: 126 KN_x000D_x000D_ STEEL WIRE ROPE FOR POR	NOS	1.00	190.00	EUR	14 mm 19x7 (18x7+iwrc) galv, rotation resistant, 75 m wire rope - 1 end mech spliced with thimble	1	6897.00 TRY
6	-	STEEL WIRE ROPE FOR FFLB. 19X7 + IWRC - NON ROTATING. DIAMETER:14MM. GALVANIZED. 1 COIL X 75 MTRS WITH PRESSED THIMBLE AT ONE END. TENSILE STRENGTH: 1960 N/MM2 200 KGF/M2. MINIMUM BREAKING LOAD: 126 KN_x000D_x000D_ STEEL WIRE ROPE FOR POR	NOS	1.00	190.00	EUR	14 mm 19x7 (18x7+iwrc) galv, rotation resistant, 75 m wire rope - 1 end mech spliced with thimble	1	6897.00 TRY
7	-	WIRE ROPE 6X7, GALVANIZED, DIAM 4MM X LENGTH 45 MTRS, MBL 8 KN. WITH AN EYE AT ONE END. REQUIRE FOR LOWERING RESCUE BOAT.	NOS	1.00	45.00	EUR	4 mm 7x19 AISI 316 ss 45 m wire rope- 1 end eye	1	1633.50 TRY
8	-	STEEL WIRE ROPE FOR FFLB. 6X36 + IWRC. LAY: R.H.R.L. DIAMETER:12MM. GALVANIZED. 1 COIL X 100 MTRS WITH PRESSED EYES AT BOTH ENDS. TENSILE STRENGTH: 1960 N/MM2 200 KGF/M2. MINIMUM BREAKING LOAD: 100	NOS	3.00	168.00	EUR	12 mm 6x36 ws+iwrc, 100 m wire rope - 1 end thimble mech spliced	1	18295.20 TRY
9	-	STEEL WIRE ROPE FOR FFLB. 19X7 + IWRC - NON ROTATING. DIAMETER:6MM. GALVANIZED. 1 COIL X 30 MTRS WITH PRESSED THIMBLE AT ONE END. TENSILE STRENGTH: 1960 N/MM2 200 KGF/M2. MINIMUM BREAKING LOAD: 23.1 KN_x000D_x000D_ STEEL WIRE ROPE FOR BO	NOS	2.00	37.00	EUR	6 mm 19x7 (18x7+iwrc) galv, rotation resistant, 30 m wire rope - 1 end mech spliced with thimble	1	2686.20 TRY
10	-	STEEL WIRE ROPE FOR FFLB. 6X37 + FC. LAY: RHRL. DIAMETER:16MM. GALVANIZED. 2PCS X 1.5 MTRS WITH EYE SPLICED AT BOTH ENDS. TENSILE STRENGTH: 1770 N/MM2. WORKING LOAD: 2.7 TONS_x000D_x000D_ 2 STEEL WIRES FOR SECURING FFLB	NOS	2.00	11.00	EUR	16 mm 6x36 ws+fc, 1.5 m wire rope sling	1	798.60 TRY
11	-	STEEL WIRE ROPE FOR AFT CRANE. 35X7 IWRC - NON ROTATING. DIAMETER:14MM. GALVANIZED. 1 COIL X 50 MTRS WITH PRESSED THIMBLE AT ONE END. TENSILE STRENGTH: 1960 N/MM2 200 KGF/M2. MINIMUM BREAKING LOAD: 15 TONS_x000D_x000D_ STEEL WIRE ROPE FO	NOS	1.00	330.00	EUR	14 mm Durahoist 34 C (35XK7 IWRC) compact, galv, non rotating, 50 m wire rope - 1 end mech spliced with thimble	1	11979.00 TRY

Toplam: 100188.00 TRY

Vero non impedit voluptatem facilis repellendus sunt repellat omnis in laudantium, fuga accusantium ipsum ab, quam cupiditate unde veniam voluptate ex autem illum voluptates eligendi fuga expedita, labore similique ducimus provident recusandae, velit nulla sit? Recusandae totam earum ipsa beatae rem omnis voluptatum facere sint dolore, repudiandae officiis possimus numquam quidem ex, ex ab voluptates architecto nam mollitia inventore exercitationem, voluptates dolore excepturi perspicatis nulla non placeat molestiae sunt error explicabo ad? Similique dolor provident atque in voluptate perferendis quam voluptatum ea voluptas, beatae maxime natus qui illum sapiente corporis optio?

Nulla odit possimus nesciunt fugiat excepturi in, ab porro pariat magnum mollitia, quidem explicabo inventore est alias id a officia neque rerum. At neque alias, modi officiis tenetur reprehenderit at quidem nobis, accusantium modi ea quae tempore ducimus id totam quibusdam voluptatibus, totam alias possimus voluptas nulla nihil tempora accusantium fugiat, totam iure expedita blanditiis autem distinctio eaque cum non dolores quibusdam. Omnis nisi quo quia ab facere ullam natus voluptatem officia provident incidunt?