



Teklif No: 202601-1029

Teklif Verilen

Şimşekler Genel Kumanyacılık ve Dış Tic. ve San. A.Ş.
Kultur Mahallesi 240 Sk. No:1 Kat:3 D:7
35800 Aliağa
İZMİR / TÜRKİYE

Talep Bilgileri

Talep Numarası: 202601-1029
Tarih: 19 01 2026 15:24

Sıra	Impa	Açıklama	Birim	Miktar	Birim Fiyatı	Para Birimi	Remarks	Teslimat Süresi	Toplam
11	-	Wire Rope Thimbles Construction of wire rope: 6x24+7FC Diameter: 24 mm Length: 1.370 m Safety Working Load: 48 kN Galv. steel wire rope sling Al-alloy swaged thimble at both ends.	PCS	2.00	31.00	EUR	WLL : 6.3 T 24 MM 6x36 WS + FC GALV THIMBLE- THIMBLE WIRE ROPE SLING L : 1.37 M	1	3100.00 TRY
12	-	Wire Rope Thimbles Construction of wire rope: 6x24+7FC Diameter: 24 mm Length: 2.365 m Safety Working Load: 48 kN Galv. steel wire rope sling Al-alloy swaged thimble at both ends.	PCS	10.00	35.00	EUR	WLL : 6.3 T 24 MM 6x36 WS + FC GALV THIMBLE- THIMBLE WIRE ROPE SLING L : 2.365 M	1	17500.00 TRY
13	-	Wire Rope Thimbles Construction of wire rope: 6x24+7FC Diameter: 24 mm Length: 2.430 m Safety Working Load: 48 kN Galv. steel wire rope sling Al-alloy swaged thimble at both ends.	PCS	112.00	35.00	EUR	WLL : 6.3 T 24 MM 6x36 WS + FC GALV THIMBLE- THIMBLE WIRE ROPE SLING L : 2.43 M	3	196000.00 TRY
14	-	Wire Rope Thimbles Construction of wire rope: 6x24+7FC Diameter: 24 mm Length: 2.210 m Safety Working Load: 48 kN Galv. steel wire rope sling Al-alloy swaged thimble at both ends.	PCS	10.00	35.00	EUR	WLL : 6.3 T 24 MM 6x36 WS + FC GALV THIMBLE- THIMBLE WIRE ROPE SLING L : 2.21 M	1	17500.00 TRY
15	-	Wire Rope Thimbles Construction of wire rope: 6x24+7FC Diameter: 24 mm Length: 0.870 m Safety Working Load: 48 kN Galv. steel wire rope sling Al-alloy swaged thimble at both ends.	PCS	8.00	29.00	EUR	WLL : 6.3 T 24 MM 6x36 WS + FC GALV THIMBLE- THIMBLE WIRE ROPE SLING L : 0.87 M	1	11600.00 TRY

16	-	Wire Rope Thimbles Construction of wire rope: 6x24+7FC Diameter: 28 mm Length: 22.0 m Safety Working Load: 66 kN Galv. steel wire rope sling Al-alloy swaged thimble at both ends.	PCS	10.00	160.00	EUR	WLL : 6.3 T 28 MM 6x36 WS + FC GALV THIMBLE- THIMBLE WIRE ROPE SLING L : 22 M	1	80000.00 TRY
17	-	Dee Shackles with Safety bolt: G-4153 Diameter: Bow 35 mm / Pin 38 mm / Eye 80 mm Width Inside: 57 mm Length Inside: 115 mm Working Load Limit: 13.5 t	PCS	284.00	23.50	EUR	WLL 17 T 38 MM GALV D SHACKLE WITH BOLT	1	333700.00 TRY
18	-	Dee Shackles with Safety bolt: G-4153 Diameter: Bow 38 mm / Pin 42 mm / Eye 88 mm Width Inside: 60 mm Length Inside: 127 mm Working Load Limit: 17 t	PCS	20.00	23.50	EUR	WLL 17 T 38 MM GALV D SHACKLE WITH BOLT	1	23500.00 TRY
19	-	Snatch Block BS-150D SWL 20 t	PCS	10.00	0.00	EUR	DETAY RİCA ?	0	0.00 TRY
20	-	Wire Rope Size: Φ16 (6x24) S.W.R. Length: 3.0 m Material: B.L.>24 t With collet and Rigging Screw	PCS	56.00	15.00	EUR	WLL : 3 T 24 MM 6x36 WS + FC GALV THIMBLE- THIMBLE WIRE ROPE SLING L : 3 M	3	42000.00 TRY
21	-	Rigging Crew Nominal Size: 22 t	PCS	10.00	0.00	EUR	---	0	0.00 TRY
22	-	Eye PL. SWL: 20t Forging steel: № 25	PCS	10.00	0.00	EUR	---	0	0.00 TRY
27	-	HOISTING ROPE Rope diameter - 30 (mm) Rope length - 210 length (m) Wire breaking strength - 1960 (N/mm ²) Operation force - 165.3 Min.(kN) Breaking strength - 761 (kN) Lay: RHLL TTS SPARE PARTS LIST 5010387	PC	5.00	4300.00	EUR	30 MM 35XX7 IWRC COMPACT NON ROTATING GALV RHLL 210 M HOISTING WIRE ROPE - 1 END DIN 3091 DEAD EYE THIMBLE MECH SPLICED	1	1075000.00 TRY
28	-	LUFFING ROPE Rope diameter - 26 (mm) Rope length - 171.2 (m) Wire breaking strength - 1960 (N/mm ²) Operation force - 99.1 Min. (kN) Breaking strength - 555 (kN) Lay: RHLL TTS SPARE PARTS LIST 5010388	PC	5.00	2110.00	EUR	26 MM 8XK26 IWRC COMPACT GALV RHL 171.2 M LUFFING WIRE ROPE - 1 END DIN 3091 DEAD EYE THIMBLE MECH SPLICED	1	527500.00 TRY
29	-	Wire on Provision Crane: GALV'D Steel wire rope Size of Wire-rope: 18x19+FC-13-1770 MIN.B.L. 98 KN. Hoisting Height: 75 m Safety factor 1:8 Wire rope sling, first end is with thimble, second and is free.	PC	1.00	185.00	EUR	13 MM 19X7 ROTATION RESISTANT GALV 75 M WIRE ROPE - 1 END THIMBLE MECH SPLICED	1	9250.00 TRY

30	-	Wire on Davit: GALV'D Steel wire rope Size of Wire-rope: 18x19+FC-20-1770 MIN.B.L. 140 KN. Hoisting Height: 30 m Safety factor 1:8 Wire rope sling, first end is with thimble, second and is free. Max. Hoisting and Slewing Load: 18 kN	PC	1.00	149.00	EUR	20 MM 19X7 ROTATION RESISTANT GALV 30 M WIRE ROPE - 1 END THIMBLE MECH SPLICED	1	7450.00 TRY
31	-	Wire Rescue Boat Davit Crane: GALV'D Steel wire rope Size of Wire-rope: 18x19-16+FC MIN.B.L. 130 KN. Hoisting Height: 45 m Wire rope sling, first end is with thimble, second and is free. Max. Hoisting and Slewing Load: 14 kN	PC	1.00	144.00	EUR	16 MM 19X7 ROTATION RESISTANT GALV 45 M WIRE ROPE - 1 END THIMBLE MECH SPLICED	1	7200.00 TRY
32	-	Wire FFB Crane: GALV'D Steel wire rope Size of Wire-rope: 20ZAA18x19+FC1770ZS Hoisting Height: 50 m Wire rope sling, first end is with thimble, second and is free. Max. Hoisting Load: 51 kN	PC	1.00	245.00	EUR	20 MM 19X7 ROTATION RESISTANT GALV 50 M WIRE ROPE - 1 END THIMBLE MECH SPLICED	1	12250.00 TRY
34	-	Bunker derrick STBD/PORT side. Forecastle derrick. GALV'D Steel wire rope. 6 x (WS) 12 + FC Diameter: 6 mm. Lay: RHRL. Hoisting Height: 20 m Grade: 180	PC	3.00	25.00	EUR	6 MM 19X7 ROTATION RESISTANT GALV 20 M WIRE ROPE - 1 END THIMBLE MECH SPLICED	1	3750.00 TRY
36	591234	Chain Drums for Scaling Machine Rusti bus 400, part no 040-0156	PCS	120.00	0.00	EUR	---	0	0.00 TRY
87	231185	Stainless Steel Connecting Links	PCS	20.00	0.00	EUR	---	0	0.00 TRY
88	231188	Stainless Steel Connecting Links	PCS	20.00	0.00	EUR	---	0	0.00 TRY
132	210501	3-Strand Nylon Rope 200mtrs/110fms	PCS	1.00	18.00	EUR	-	1	900.00 TRY
133	211321	Log Line	PCS	1.00	30.00	EUR	-	1	1500.00 TRY
134	230536	Turnbuckles Eye and Hook 6x100mm	PCS	10.00	1.00	EUR	6 MM GALV EYE-HOOK TURNBUCKLE	1	500.00 TRY
135	230561	Turnbuckles Hook & Hook 6x100mm	PCS	10.00	1.00	EUR	6 MM GALV EYE-HOOK TURNBUCKLE	1	500.00 TRY
220	-	8-strand polypropylene mooring rope, diameter 72 mm, breaking load minimum 800 kN With Certificate	PCS	4.00	1220.00	EUR	72 MM 8 STR DAN-LINE HI-MAN 220 M PP MOORING ROPE	1	244000.00 TRY

Toplam: 2614700.00 TRY

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum. Quam eos hic repellat, nemo laudantium corrupti alias ipsum magnam aperiam tempore qui expedita, corporis deleniti amet quaerat soluta itaque nulla ea alias incidunt, beatae libero molestiae id ea tempore. Hic ad corrupti nemo, magnam tenetur doloremque sint illo dolor veritatis sapiente eveniet, minima cum deserunt autem ipsum ratione at molestias dolorum minus, provident beatae officiis nemo dignissimos magnam eligendi, doloribus sed vero dignissimos tempora perferendis nemo ex reiciendis fugiat quos voluptas? Porro ipsam repellat adipisci doloremque praesentium id cum nulla iusto inventore eveniet. Et harum perferendis deserunt sint reprehenderit corporis exercitationem qui facilis.