



Teklif No: 202602-0632

Teklif Verilen

Şimşekler Genel Kumanyacılık ve Dış Tic. ve San. A.Ş.
Kultur Mahallesi 240 Sk. No:1 Kat:3 D:7
35800 Aliağa
İZMİR / TÜRKİYE

Talep Bilgileri

Talep Numarası: 202602-0632
Tarih: 12 02 2026 14:08

Sıra	Impa	Açıklama	Birim	Miktar	Birim Fiyatı	Para Birimi	Remarks	Teslimat Süresi	Toplam
1	212207	GANGWAY WIRE Gangway Wire Construction: 6x24+FC Diameter: 12MM Length: 55M Material: G.S.W.R Lay: RHRL Breaking Strength: 65.9 KN Specs - FIBRE CORE One side mechanically spliced thimble eye (12mm x 55 mtrs) Grade:- 1470 Lay:- Right Hand Regular La	CL	2.00	81.00	EUR	12 MM 6X36 WS + FC GALV 55 M WIRE ROPE - 1 END THIMBLE MECH SPliced	1	8341.38 TRY
2	213579	PROVISION CRANE WIRE Provision Crane Hoisting Wire Type: Dia 14MM (19x7) Non-Rotation Type Length: 55M Material: G.S.W.R Lay: RHRL Weight: 45.8 With One End Thimble (Size 9/16", Material S45C+G') Min Breaking Strength: ø14(19x7)=13.9 Tons;ROPE WIRE	CL	1.00	136.00	EUR	14 MM 19X7 NON ROTATING GALV 55 M WIRE ROPE - 1 END THIMBLE MECH SPliced	1	7002.64 TRY
3	-	HOSE HANDLING CRANE WIRE - Maker - Dongnam Marine Crane Co.Ltd Hose Handling Crane HMD H2553's drawing Number 100032-10200000 Specs - (35 X 7 IWSC) Galvanised Steel Wire Rope with one side mechanically spliced thimble eye along with CERTIFICATE; 20	MTR	90.00	8.57	EUR	20 MM 35X7 COMPACT NON ROTATING GALV 90 M WIRE ROPE - 1 END THIMBLE MECH SPliced	1	39714.24 TRY
4	213665	FFLB WIRE LIFEBOAT FALLS - GSWR (19 X 7 IWSC) One side mechanically spliced thimble eye Size: A-20 (20mm x 80 mtrs) Breaking Load:- 28.3 T Lay:- Right Hand Regular Lay Length of Lay:- 140.90 mm (WITH CERTIFICATE);HERCULES ROPE 19X7 GALV, DIA 20.0MM	MTR	80.00	4.92	EUR	20 MM 19X7 NON ROTATING GALV 80 M WIRE ROPE - 1 END THIMBLE MECH SPliced	1	20266.46 TRY

5	213662	RESCUE BOAT DAVIT WIRE RESCUE BOAT FALLS- GSWR (19 X 7 IWSC) One side mechanically spliced thimble eye Size: A-9/16" (14mm x 32 mtrs) Breaking Load:- 14.3 T Lay:- Right Hand Regular Lay Length of Lay:- 96.30 mm (WITH CERTIFICATE);HERCULES ROPE 19X7	MTR	32.00	2.50	EUR	14 MM 19X7 NON ROTATING GALV 32 M WIRE ROPE - 1 END THIMBLE MECH SPLICED	1	4119.20 TRY
6	212701	ENGINE ROOM CRANE WIRE(6 X 25 IWRC) Galvanised Steel Wire Rope with both sides mechanically spliced thimble eye along with CERTIFICATE; 10mm X 29mtrs; Breaking Strength=68.1 KN; Lay= Right Hand Regular Lay; No. of Strands=6; No.of wires per strand=	CL	1.00	50.00	EUR	10 MM 19X7 NON ROTATING GALV 29 M WIRE ROPE - ÇİZİM RİCA	1	2574.50 TRY
7	-	LIFEBOAT WIRE SLINGS - GSWR (19 X 7 IWSC) One side mechanically spliced thimble eye Size: A-20 attached with Master link Size:- 1 1/4" & Other side mechanically spliced thimble eye Size: A-20 attached with Master link Size:- 1 1/4" & connected w	MTR	2.00	75.00	EUR	20 MM 19X7 NON ROTATING GALV 5.194 M THIMBLE- THIMBLE WIRE ROPE SLING WITH 32 MM MASTER LINK + 1 1/4" SHACKLE	1	7723.50 TRY
8	-	LIFEBOAT WIRE SLINGS - GSWR (19 X 7 IWSC) One side mechanically spliced thimble eye Size: A-20 attached with Master link Size:- 1 1/4" & Other side mechanically spliced thimble eye Size: A-20 connected with D Shackle:- BB 1 1/8" (20mm x 2.533 mt	MTR	2.00	65.00	EUR	20 MM 19X7 NON ROTATING GALV 2.533 M THIMBLE- THIMBLE WIRE ROPE SLING WITH 32 MM MASTER LINK + 1 1/4" SHACKLE	1	6693.70 TRY
9	-	RESCUE BOAT SELF LOWERING WIRE (For Rescue Boat Davit Fall Self lowering) Nominal Diameter Ø 4mm Construction: Steel Wire SUS304 Length: 34 meters , With Mechanical Thimble Eye at one end Thimble - A- 1/4" Sus304 Material (PLEASE REFER TO EMAIL AT	MTR	1.00	20.00	EUR	4 MM 7X19 AISI 316 SS 34 M WIRE ROPE - 1 END THIMBLE	1	1029.80 TRY
10	-	RESCUE BOAT SELF SLEWING WIRE (For Rescue Boat Davit Self Slewing) Nominal Diameter Ø 4mm Construction: Steel Wire SUS304 Length: 5.1 meters , With Mechanical Thimble Eye at one end Thimble - A- 1/4" Sus304 Material (PLEASE REFER TO EMAIL ATTACHED)	MTR	1.00	5.00	EUR	4 MM 7X19 AISI 316 SS 5.1 M WIRE ROPE - 1 END THIMBLE	1	257.45 TRY

11	-	RESCUE BOAT SLING (For Rescue Boat Hoisting) Nominal Diameter Ø 8mm Construction: Steel Wire SUS304 Length: 1.45 meters , With Mechanical Clamped Thimble Eye at both end Thimble - A-3/4" Sus304 Material (PLEASE REFER TO EMAIL ATTACHED)	MTR	2.00	6.00	EUR	8 MM 7X19 AISI 316 SS 1.45 M WIRE ROPE SLING - 2 END THIMBLE	1	617.88 TRY
12	-	RESCUE BOAT SLING (For Rescue Boat Hoisting) Nominal Diameter Ø 8mm Construction: Steel Wire SUS304 Length: 1.04 meters , With Mechanical Clamped Thimble Eye at Both end Thimble - A-3/4" Sus304 Material (PLEASE REFER TO EMAIL ATTACHED)	MTR	2.00	5.50	EUR	8 MM 7X19 AISI 316 SS 1.04 M WIRE ROPE SLING - 2 END THIMBLE	1	566.39 TRY

Toplam: 98907.14 TRY

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Similique qui accusantium officia, eum distinctio totam nesciunt delectus ipsam suscipit quidem accusamus, ullam dignissimos totam officiis ut enim eligendi id nobis harum ad a. Impedit dolor accusamus sint maiores suscipit nisi deserunt illum at? Aut ad assumenda qui ratione voluptatum possimus nemo, architecto ipsam labore blanditiis voluptatibus accusantium deleniti eos temporibus animi corrupti, pariatur quae deleniti distinctio eveniet nemo doloremque quo iure consequuntur laboriosam incidunt, sequi sunt at necessitatibus delectus iure libero corporis.

Labore dolorem laudantium et sequi magni illum omnis, tenetur repudiandae expedita saepe magni possimus eligendi, quisquam facilis veniam ullam. Ab voluptatibus itaque ducimus eos enim dolorem non quod nemo iure. Earum blanditiis libero iusto iste qui similique assumenda cumque a? Iusto dicta assumenda tempore, doloremque cum non rem asperiores facere commodi quia autem repudiandae accusantium praesentium, ab architecto at voluptates nostrum cupiditate veritatis recusandae fugit, laborum exercitationem quibusdam eum architecto nulla veritatis?