



## Teklif No: 202603-1566

### Teklif Verilen

Şimşekler Genel Kumanyacılık ve Dış Tic. ve San. A.Ş.  
Kultur Mahallesi 240 Sk. No:1 Kat:3 D:7  
35800 Aliağa  
İZMİR / TÜRKİYE

### Talep Bilgileri

Talep Numarası: 202603-1566  
Tarih: 26 03 2026 11:20

| Sıra | Impa   | Açıklama  | Birim | Miktar | Birim Fiyatı | Para Birimi | Remarks                                 | Teslimat Süresi | Toplam      |
|------|--------|---|-------|--------|--------------|-------------|---|-----------------|-------------|
| 1    | 230680 | TURNBUCKLE FRAME GALV JAW & JAW, 1-1/4X18";TURNBUCKLE FRAME GALVJAW&JAW, 1-1/4X18"        | PCE   | 2.00   | 80.00        | USD         | 1 1/4" X 18" JAW-JAW GALV TURNBUCKLE    | 1               | 7048.00 TRY |
| 2    | 230684 | TURNBUCKLE FRAME GALV JAW & JAW, 1-1/2X24";TURNBUCKLE FRAME GALVJAW&JAW, 1-1/2X24"        | PCE   | 1.00   | 159.00       | USD         | 1 1/2" X 18" JAW-JAW GALV TURNBUCKLE    | 1               | 7003.95 TRY |
| 3    | 230634 | TURNBUCKLE FRAME GALV JAW & JAW, 7/8X18";TURNBUCKLE FRAME GALV JAW&JAW, 7/8X18"           | PCE   | 3.00   | 25.00        | USD         | 7/8"X12" JAW-JAW GALV TURNBUCKLE        | 1               | 3303.75 TRY |
| 4    | 230635 | TURNBUCKLE FRAME GALV JAW & JAW, 1X6";TURNBUCKLE FRAME GALV JAW&JAW, 1X6"                 | PCE   | 6.00   | 37.00        | USD         | 1"X18" JAW-JAW GALV TURNBUCKLE          | 1               | 9779.10 TRY |
| 5    | 230535 | TURNBUCKLE FRAME BLACK, EYE & HOOK 16MMX250MM;TURNBUCKLE FRAME BLACK, EYE&HOOK 16MMX250MM | PCE   | 4.00   | 1.85         | USD         | 16 MM GALV EYE-HOOK TURNBUCKLE          | 1               | 325.97 TRY  |
| 6    | 233657 | WIRE CLIP STANDARD S.STEEL, 8MM   | PCE   | 10.00  | 1.00         | USD         | 8 MM SS WIRE ROPE CLIP                  | 1               | 440.50 TRY  |
| 7    | 233660 | WIRE CLIP STANDARD S.STEEL, 14MM  | PCE   | 6.00   | 4.00         | USD         | 16 MM SS WIRE ROPE CLIP                 | 1               | 1057.20 TRY |
| 8    | 231321 | SHACKLE STRAIGHT HEX HEAD BOLT, GALV JIS-SB 20MM SWL 2.5TON                               | PCE   | 6.00   | 4.50         | USD         | 3/4" SWL 4.75 T GALV SHACKLE WITH BOLT  | 1               | 1189.35 TRY |
| 9    | 231326 | SHACKLE STRAIGHT HEX HEAD BOLT, GALV JIS-SB 30MM SWL 5.4TON                               | PCE   | 4.00   | 13.00        | USD         | 1 1/8" SWL 9.5 T GALV SHACKLE WITH BOLT | 1               | 2290.60 TRY |
| 10   | 233504 | SHACKLE D-TYPE SCREW PIN, S. STEEL 12MM SWL 0.5TON  | PCE   | 10.00  | 3.00         | USD         | 12 MM SS D SHACKLE                      | 1               | 1321.50 TRY |
| 11   | 233526 | SHACKLE STRAIGHT HEX HEAD BOLT, S. STEEL SB 22MM SWL 3.15TON                              | PCE   | 20.00  | 6.85         | USD         | 7/8" SWL 6.5 T GALV SHACKLE WITH BOLT   | 1               | 6034.85 TRY |

|    |        |   |     |      |        |     |  |   |                 |
|----|--------|---|-----|------|--------|-----|--|---|-----------------|
| 12 | 211152 | TONSBERG MOORING LINK ( JOINING SHACKLE FOR MOORING WIRE ) TYPE: 120T PROOF LOAD : 40T BREAKING LOAD 120T WEIGHT : 16.9 KGS PROVIDE WITH CERTIFICATE;LINK MOORING TONSBERG 120T, WITH DNV CERTIFICATE   | PCE | 4.00 | 500.00 | USD | MBL 120 T SS MANDAL FAIRLEAD SHACKLE                                       | 1 | 88100.00<br>TRY |
| 13 | -      | Provision Crane ( Port side ) : 8 MM X 112 METER Hoisting wire : Diameter of wire rope: 8 mm Construction : GSWR ( galvanised steel wire rope ) , FC Anti twist or anti- rotation type ( rotation resistant) Length of wire rope: 112 meters Laying : Regul | CL  | 1.00 | 160.00 | USD | 8 MM 19X7 NON ROTATING GALV 112 M WIRE ROPE - 1 END THIMBLE MECH SPLICED   | 1 | 7048.00<br>TRY  |
| 14 | 213325 | Wire rope, vinyl covered, galvanized for staying antenna pole / Mast Staying CONSTRUCTION : 6 x 24 OUTER DIAM of WIRE ROPE & VINYL COVER :14MMX16MM OUTER DIAM of WIRE ROPE : 14MM LENGTH : 10 MTRS BOTH SIDES Pressed Thimble JIS Type (Mechanical Splic   | MTR | 2.00 | 65.00  | USD | 14 MM 6X19 STD+FC GALV 10 M THIMBLE-THIMBLE HOSE COVERED WIRE ROPE SLING   | 1 | 5726.50<br>TRY  |
| 15 | 213325 | Wire rope, vinyl covered, galvanized for staying antenna pole / Mast Staying CONSTRUCTION : 6 x 24 OUTER DIAM of WIRE ROPE & VINYL COVER :14MMX16MM OUTER DIAM of WIRE ROPE : 14MM LENGTH : 12 MTRS BOTH SIDES Pressed Thimble JIS Type (Mechanical Splic   | MTR | 2.00 | 73.00  | USD | 12 MM 6X19 STD+FC GALV 12 M THIMBLE-THIMBLE HOSE COVERED WIRE ROPE SLING   | 1 | 6431.30<br>TRY  |
| 16 | 213325 | Wire rope, vinyl covered, galvanized for staying antenna pole / Mast Staying CONSTRUCTION : 6 x 24 OUTER DIAM of WIRE ROPE & VINYL COVER :14MMX16MM OUTER DIAM of WIRE ROPE : 14MM LENGTH : 12.50 MTRS BOTH SIDES Pressed Thimble JIS Type (Mechanical Sp   | MTR | 2.00 | 75.00  | USD | 14 MM 6X19 STD+FC GALV 12.5 M THIMBLE-THIMBLE HOSE COVERED WIRE ROPE SLING | 1 | 6607.50<br>TRY  |
| 17 | 213325 | Wire rope, vinyl covered, galvanized for staying antenna pole / Mast Staying CONSTRUCTION : 6 x 24 OUTER DIAM of WIRE ROPE & VINYL COVER :14MMX16MM OUTER DIAM of WIRE ROPE : 14MM LENGTH : 8.0 MTRS BOTH SIDES Pressed Thimble JIS Type (Mechanical Spli   | MTR | 2.00 | 50.00  | USD | 14 MM 6X19 STD+FC GALV 8 M THIMBLE-THIMBLE HOSE COVERED WIRE ROPE SLING    | 1 | 4405.00<br>TRY  |
| 18 | 213325 | Wire rope, vinyl covered, galvanized for staying antenna pole / Mast Staying CONSTRUCTION : 6 x 24 OUTER DIAM of WIRE ROPE & VINYL COVER :14MMX16MM OUTER DIAM of WIRE ROPE : 14MM LENGTH : 7.60 MTRS BOTH SIDES Pressed Thimble JIS Type (Mechanical Spl   | MTR | 3.00 | 56.00  | USD | 14 MM 6X19 STD+FC GALV 7.6 M THIMBLE-THIMBLE HOSE COVERED WIRE ROPE SLING  | 1 | 7400.40<br>TRY  |
| 19 | 214501 | Sling, wire rope For Anchor lashing TYPE: Galvanized Wire Rope CONSTRUCTION : 6 x 24 DIAMETER : 28 mm OVERALL LENGTH (mtr) : 2.5 MTR ( Eye to Eye) Size of Eye Splice : 400 x 200 x 1000 Both End Soft Eye Splice (Mechanical Splice) provide with certif   | PCE | 2.00 | 58.00  | USD | 28 MM 6X36 WS+FC GALV 2.5 M WIRE ROPE SLING                                | 1 | 5109.80<br>TRY  |

**Toplam: 170623.27 TRY**

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum. Voluptatibus perferendis dolores assumenda minus illum ullam ratione laborum. Hic accusantium sed soluta incidunt impedit eos esse excepturi porro, veritatis perspiciatis omnis debitis eveniet quidem corrupti? Optio amet quibusdam eveniet quo numquam itaque eos nam. Et fugiat perspiciatis vero blanditiis, similique et corrupti dignissimos impedit ab natus autem fuga alias quos, autem explicabo deleniti, quis beatae sit recusandae? Dicta quam quod totam?